

# AUTHOR INDEX

- ABO, W., GRAY, J.D., BAKKE, A.C. & HORWITZ, D.A.  
Studies on human blood lymphocytes with iC3b (type 3) complement receptors: II. Characterization of subsets which regulate pokeweed mitogen-induced lymphocyte proliferation and immunoglobulin synthesis, 544
- ADDISON, I. *see* ISENBERG, D.A.
- AINLEY, C.C. *see* SATSANGI, J.
- AL-SUMIDAIE, A.M., LEINSTER, S.J. & JENKINS, S.A.  
Altered monocyte function in patients with benign breast disease, 198
- ALTERMAN, L., BIRD, C., CALLUS, M., FORD, A. & THORPE, R.  
The use of monoclonal antibodies raised against a human IgE myeloma paraprotein for the study of allergen extracts and sera from allergic patients, 617
- ALVIGGI, L. *see* LOBO-YEO, A.
- ANDERSON, U. *see* LINDHU, J.
- AOCHI, H. *see* KURATA, Y.
- APPERLEY, J. *see* PARREIRA, A.
- ARAKI, K., YAMAMOTO, H. & FUJIMOTO, S.  
Studies on the pathogenesis of murine experimental autoimmune hepatitis: sensitized T cell involvement in its induction, 326
- ASAKA, M. *see* IIDA, H.
- AURIAULT, C. *see* MAZINGUE, C.
- BACCALA, R. *see* LUTZ, H.U.
- BACH, M.A. *see* TOURNIER-LASSERVE, E.
- BACHMANN, M. *see* KRAFT, R.
- BAKKE, A.C. *see* ABO, W.
- BAKKE, A.C. *see* GRAY, J.D.
- BALESTRIERI, G. *see* MERONI, P.L.
- BANDYOPADHYAY, S., MILLER, D.S., MATSUMOTO-KOBAYASHI, M., CLARK, S.C. & STARR, S.E.  
Effects of interferon and interleukin 2 on natural killing of cytomegalovirus-infected fibroblasts, 372
- BARCELLINI, W. *see* MERONI, P.L.
- BARCELLINI, W., MERONI, P.L., FRASCA, D., SGUOTTI, C., BORGH, M.O., UBERTI-FOPPA, C., BUZZETTI, P., LAZZARIN, A., DORIA, G., MORONI, M. & ZANUSSI, C.  
Effect of subcutaneous thymopentin treatment in drug addicts with persistent generalized lymphadenopathy, 537
- BARNES, R.M.R., DUGUID, J.K.M., ROBERTS, F.M., RISK, J.M., JOHNSON, P.M., FINN, R., HARDY, J., NAPIER, J.A. & CLARKE, C.A.  
Oral administration of erythrocyte membrane antigen does not suppress anti-Rh(D) antibody responses in humans, 220
- BARR, R.M. *see* DOWD, P.M.
- BARRAL-NETTO, M., REED, S.G., SADIGURSKY, M. & SONNENFELD, G.  
Specific immunization of mice against *Leishmania mexicana amazonensis* using solubilized promastigotes, 11
- BASTEN, A. *see* BRITTON, W.J.
- BATCHELOR, J.R. *see* CHAPEL, H.M.
- BAUM, H.-P. *see* WEBER, M.
- BAXEVANIS, C.N., RECLOS, G.J., SFAGOS, C., DOUFEXIS, E., PAPAGEORGIOU, C. & PAPAMICHAIL, M.  
Multiple sclerosis: I. Monocyte stimulatory defect in mixed lymphocyte reaction associated with clinical disease activity, 362
- BEAUMONT, F. *see* KALLENBERG, C.G.M.
- BEHAN, W.M.H. *see* SMITH, E.
- BEHAN, P.O. *see* SMITH, E.
- BJERRUM, O.J. *see* NISSEN, M.H.
- BJORKANDER, J. *see* BRANDTZAEG, P.
- BORGH, M.O. *see* BARCELLINI, W.
- BOZELKA, B. *see* MICHALSKI, J.P.
- BRANDTZAEG, P., KARLSSON, G., HANSSON, G., PETRUSON, B., BJORKANDER, J. & HANSON, L.A.  
The clinical condition of IgA-deficient patients is related to the proportion of IgD- and IgM-producing cells in their nasal mucosa, 626
- BREEDVELD, F.C. *see* LOBATO, S.
- BRENTJENS, J.R. *see* NOBLE, B.
- BRINES, R. & LEHNER, T.  
Antigen presentation by a subset of  $TR^+ Ia^+$  cells to T4 helper cells, 398
- BRITTON, W.J., HELLOVIST, L., GARSIA, R.J. & BASTEN, A.  
Dominant cell wall proteins of *Mycobacterium leprae* recognized by monoclonal antibodies, 31
- BRITTON, S. *see* LINDHU, J.
- BROOKS, S.D. *see* CALLIS, A.H.
- BROSTOFF, J. *see* DOWD, P.M.
- BROUET, J.-C. *see* TUCKER, G.C.
- BROWN, B.R. *see* CALLIS, A.H.
- BRUCATO, A. *see* MERONI, P.L.
- BUCALA, R., LAHITA, R.G., FISHMAN, J. & CERAMI, A.  
Anti-oestrogen antibodies in users of oral contraceptives and in patients with systemic lupus erythematosus, 167
- BUERKI, H. *see* KRAFT, R.
- BUZZETTI, P. *see* BARCELLINI, W.
- CALLIS, A.D., BROOKS, S.D., ROTH, T.P., GANDOLFI, A.J. & BROWN, B.R.  
Characterization of a haloethane-induced humoral immune response in rabbits, 343
- CALLUS, M. *see* ALTERMAN, L.
- CAMPS, J.A.J. *see* LOBATO, S.
- CAPRON, A. *see* MAZINGUE, C.
- CARRIERE, V. *see* MAZINGUE, C.
- CASON, J. *see* SATSANGI, J.
- CASPI, E. *see* SAMUEL, T.
- CATOVSKY, D. *see* PARREIRA, A.
- CERAMI, A. *see* BUCALA, R.
- CHAPEL, H.M., PETO, T.E.A., LUZZI, G.A., THOMPSON, R.A., FIELDER, A.H. & BATCHELOR, J.R.  
Combined familial C7 and C4B deficiency in an adult with meningococcal disease, 55
- CHAPEL, H.M., WARRELL, D.A., LOOAREESUWAN, S., WHITE, N.J., PHILLIPS, R.E., WARRELL, M.J., SUPAWANTA, V. & THARAVANU, S.  
Intrathecal

- immunoglobulin synthesis in cerebral malaria, 524
- CHEVAILLER, A., MONTEIRO, R.C., DAERON, M. & LESAVRE, P. Induction of Fc receptors for IgA on murine T cell hybridoma by human monoclonal IgA and by high molecular weight IgA and IgA nephropathy, 114
- CLARK, S.C. *see* BANDYOPADHYAY, S.
- CLARK, A. *see* DE FERNANDEZ, M.A.
- CLARKE, C.A. *see* BARNES, R.M.R.
- CLARKSON, A.R. *see* DREW, P.A.
- COLACO, B.C. *see* EL-ROIEY, A.
- COLUCCI, A. *see* PROCACCIA, S.
- COOKE, A. *see* LYDYARD, P.M.
- COTTIER, H. *see* KRAFT, R.
- CUTHBERTSON, B. *see* LEVER, A.M.L.
- DAERON, M. *see* CHEVAILLER, A.
- DAHA, M.R. *see* LOBATO, S.
- DE BEER, F.C. *see* MAUDSLEY, S.
- DE FERNANDEZ, M.A., CLARK, A. & TRIGER, D.R. Neutrophil phagocytic and bactericidal function in primary biliary cirrhosis and other chronic liver diseases, 655
- DE LEIJ, L. *see* KALLENBERG, C.G.M.
- DE LEY, M. *see* LINDHU, J.
- DELLAGI, K. *see* TUCKER, G.C.
- DENMAN, A.M. *see* PELTON, B.K.
- DE SOUSA, B. *see* LYDYARD, P.M.
- DE SOUZA, J.B. *see* PLAYFAIR, J.H.L.
- DESSAINT, J.P. *see* MAZINGUE, C.
- DETROUF, F. *see* MAZINGUE, C.
- DE VILLARTAY, J.P., LE DEIST, F., GRISCELLI, G. & FISCHER, A. Dissociation between onset of natural killer E-rosette forming cells and of T3-positive cells following HLA-mismatched T cell depleted bone marrow transplantation, 406
- DILLY, S.A. & SLOANE, J.P. Changes in rectal leucocytes after allogeneic bone marrow transplantation, 151
- DJURUP, *see* RODGAARD, A.
- DORIA, G. *see* BARCELLINI, W.
- DOUFEXIS, E. *see* BAXEVANIS, C.N.
- DOWD, P.M., HUDSPITH, B.N., MILLER, J.A., BARR, R.M., BROSTOFF, J. & GREAVES, M.W. Release *in vivo* of IL-1 like activity by human skin, 606
- DREW, P.A., NIEUWHOF, W.N., CLARKSON, A.R. & WOODROFFE, A.J. Increased concentration of serum IgA antibody to pneumococcal polysaccharides in patients with IgA nephropathy, 124
- DUDENEY, C. *see* ISENBERG, D.A.
- DUGUID, J.K.M. *see* BARNES, R.M.R.
- DUMONDE, D.C. *see* SATSANGI, J.
- EALLES, L.-J., MOSHTAEI, O. & PINCHING, A.J. Microbicidal activity of monocyte-derived macrophages in AIDS and related disorders, 227
- ELKINS, D.B. *see* KENNEDY, M.W.
- EL-ROIEY, A., SELA, O., ISENBERG, D.A., FELDMAN, R., COLACO, B.C., KENNEDY, R.C. & SHOENFELD, Y. The sera of patients with *Klebsiella* infections contain a common anti-DNA idiotype (16/6) Id and anti-polynucleotide activity, 507
- ENEROTH, P. *see* FREDRIKSON, S.
- ENESTROM, S. *see* HULTMAN, P.
- FEINSTEIN, A. *see* MAUDSLEY, S.
- FELDMAN, R. *see* EL-ROIEY, A.
- FELDER, A.H. *see* CHAPPEL, H.M.
- FIERS, W. *see* TAVERNE, J.
- FINDBLOOM, D.S., MARTIN, J. & GORDON, R.K. Endocytosis of particulate and soluble IgG immune complexes: differential effects of cytoskeletal modulating agents, 205
- FINN, R. *see* BARNES, R.M.R.
- FISCHER, A. *see* DE VILLARTAY, J.P.
- FISHMAN, J. *see* BUCALA, R.
- FLEPP, R. *see* LUTZ, H.U.
- FOPPA, C.U. *see* PROCACCIA, S.
- FORCELLINI, P. *see* PROCACCIA, S.
- FORD, A. *see* ALTERMAN, L.
- FRASCA, D. *see* BARCELLINI, W.
- FREDRIKSON, S., ENEROTH, P. & LINK, H. Intrathecal production of neopterin in aseptic meningitis, encephalitis and multiple sclerosis, 76
- FUJIMOTO, S. *see* ARAKI, K.
- FUKUNISHI, Y. *see* OHKAWA, S.
- FULLMER, M.A., SHEN, J.-Y., MODLIN, R.L. & REA, T.H. Immunohistochemical evidence of lymphocyte activation antigens in tuberculin reactions, 383
- FYFE, A., HOLME, E.R., ZOMA, A. & WHALEY, K. C3b receptor (CR1) expression of the polymorphonuclear leucocytes from patients with systemic lupus erythematosus, 300
- GAMMELTOFT, S. *see* RODGAARD, A.
- GANDOLFI, A.J. *see* CALLIS, A.H.
- GARBRECHT, F.C., SISKIND, G.W. & WEKSLER, M.E. Lymphocyte transformation induced by autologous cells: XVIII. Impaired autologous mixed lymphocyte reaction in subjects with AIDS-related complex, 245
- GARSIA, R.J. *see* BRITTON, W.J.
- GASPARINI, A. *see* PROCACCIA, S.
- GEFFNER, J.R., GIORDANO, M., SEREBRINSKY, G. & ISTURIZ, M. The role of reactive oxygen intermediates in nonspecific monocyte cytotoxicity induced by immune complexes, 646
- GIORDANO, M. *see* GEFFNER, J.R.
- GOLDMAN, J.M. *see* PARREIRA, A.
- GORDON, J.R. & MCLAREN, D.J. Immunity to *Schistosomiasis mansoni* in guinea-pigs vaccinated with radiation-attenuated cercariae: I. Humoral responses against skin-stage schistosomiasis, 252
- GORDON, R.K. *see* FINDBLOOM, D.S.
- GORDON-SMITH, E.C. *see* PARREIRA, A.
- GORICK, B. *see* MARTIN, H.
- GORMUS, B.J. *see* OHKAWA, S.
- GRAY, J.D. *see* ABO, W.
- GRAY, J.D., LASH, A., BAKKE, A.C. & HORWITZ, D.A. Studies on human blood lymphocytes with iC3b (type 3) complement receptors: III. Abnormalities in patients with active systemic lupus erythematosus, 556
- GREAVES, M.W. *see* DOWD, P.M.
- GRISCELLI, C. *see* DE VILLARTAY, J.P.
- HANSON, L.A. *see* BRANDTZAEG, P.
- HANSSON, G. *see* BRANDTZAEG, P.
- HARDY, J. *see* BARNES, R.M.R.

- HARRIS, E.N. *see* MERONI, P.L.  
 HASWELL-ELKINS, M. *see* KENNEDY, M.W.  
 HAYAKAWA, I. *see* NATORI, Y.  
 HAYASHI, S. *see* KURATA, Y.  
 HEBERT, J. *see* MOURAD, W.  
 HELLQVIST, L. *see* BRITTON, W.J.  
 HERBERT, J. *see* MAUDSLEY, S.  
 HESS, M.W. *see* KRAFT, R.  
 HIRAO, J., YOSHIMURA, N., HOMMA, N. & KANO, K.  
 Immunological studies of Kawasaki disease: I. Isolation and characterization of an immunosuppressive factor in acute phase sera, 433  
 HOLME, E.R. *see* FYFE, A.  
 HOMMA, N. *see* HIRAO, J.  
 HORWITZ, D.A. *see* ABO, W.  
 HORWITZ, D.A. *see* GRAY, J.D.  
 HOWS, J.M. *see* PARREIRA, A.  
 HUDSPITH, B.N. *see* DOWD, P.M.  
 HUGHES, G.R.V. *see* MERONI, P.L.  
 HUGHES-JONES, N.C. *see* MARTIN, H.  
 HUGHES-JONES, N.C. *see* WIENER, E.  
 HULTMAN, P. & ENESTROM, S. The induction of immune complex deposits in mice by peroral and parenteral administration of mercuric chloride: strain dependent susceptibility, 283  
 IBAYASHI, H. *see* YOKOTA, M.  
 IIDA, H., IZUMINO, W.N., ASAKA, M., TAKATA, M., MIZUMURA, Y. & SASAYAMA, S. Effect of the anticomplementary agent, K-76 monocarboxylic acid, on experimental immune complex glomerulonephritis in rats, 130  
 IKEMOTO, Y., *see* WATANABE, Y.  
 IRISH, W.T. *see* WIENER, E.  
 ISENBERG, D. *see* LYDYARD, P.M.  
 ISENBERG, D.A. *see* EL-ROIEY, A.  
 ISENBERG, D.A., MADDISON, P., SWANA, G., SKINNER, R.P., SWANA, M., JONES, M., ADDISON, I., DUDENEY, C., SHALL, S., EL-ROIEY, A. & SHOENFELD, Y. Profile of autoantibodies in the serum of patients with tuberculosis, klebsiella and other Gram-negative infections, 516  
 ISTURIZ, M. *see* GEFFNER, J.R.  
 IZUMINO, K. *see* IIDA, H.  
 JENKINS, S.A. *see* AL-SUMIDAIE, A.M.  
 JOHN, J.K. *see* PRINCE, H.E.  
 JOHNSON, P.M. *see* BARNES, R.M.R.  
 JONES, M. *see* ISENBERG, D.A.  
 KAJIYAMA, G. *see* WATANABE, Y.  
 KALLENBERG, C.G.M., SCHILIZZI, B.M., BEAUMONT, F., POPPEMA, S., DE LEIJ, L. & THE, T.H. Expression of class II MHC antigens on alveolar epithelium in fibrosing alveolitis, 182  
 KANO, K. *see* HIRAO, J.  
 KARLSSON, G. *see* BRANDTZAEG, P.  
 KASTRUKOFF, L.F. *see* O'GORMAN, M.R.G.  
 KATAGIRI, S. *see* MIZUTANI, H.  
 KAWAKAMI, H. *see* WATANABE, Y.  
 KAWAMOTO, H. *see* WATANABE, Y.  
 KENNEDY, M.W., QURESHI, F., HASWELL-ELKINS, M. & ELKINS, D.B. Homology and heterology between the secreted antigens of the parasitic larval stages of *Ascaris lumbricoides* and *Ascaris suum*, 20  
 KENNEDY, R.C. *see* EL-ROIEY, A.  
 KIMURA, I. *see* KISHIMOTO, T.  
 KISHIMOTO, T., SODA, R., TAKAHASHI, K. & KIMURA, I. The role of basophils and mast cells in cutaneous basophil hypersensitivity reaction, 611  
 KLAJMAN, A. *see* ROSENSCHN, U.  
 KOGA, S. *see* YOKOTA, M.  
 KOHLER, H. *see* WEBER, M.  
 KONTIAINEN, S., LAUTENSCHLAGER, I., NYBERG, M. & MÄENPÄÄ, J. Cells infiltrating the thyroid in juvenile autoimmune thyroiditis, 89  
 KORNSTAD, L. *see* MICHAELSEN, T.E.  
 KRAFT, R., BACHMANN, M., BACHMANN, K., BUERKI, H., HESS, M.W., COTTIER, H. & STONER, R.D. Satisfactory primary tetanus antitoxin responses but markedly reduced germinal centre formation in first draining lymph nodes of ageing mice, 447  
 KURATA, Y. *see* MIZUTANI, H.  
 KURATA, Y., HAYASHI, S., AOCHI, H., NAGAMINE, K., SOHIDA, M., MIZUTANI, H., TOMIYAMA, Y., TSUBAKIO, T., YONEZAWA, T. & TARUI, S. Analysis of antigen involved in circulating immune complexes in patients with idiopathic thrombocytopenic purpura, 293  
 LAHITA, R.G. *see* BUCALA, R.  
 LANZANOVA, D. *see* PROCACCIA, S.  
 LASH, A. *see* GRAY, J.D.  
 LAUTENSCHLAGER, I. *see* KONTIAINEN, S.  
 LAZZARIN, A. *see* PROCACCIA, S.  
 LAZZARIN, A. *see* BARCELLINI, W.  
 LE DEIST, F. *see* DE VILLARTAY, J.P.  
 LEHNER, T. *see* BRINES, R.  
 LEINSTER, S.J. *see* AL-SUMIDAIE, A.M.  
 LESAVRE, P. *see* CHEVAILIER, A.  
 LEVER, A.M.L., YAP, P.L., CUTHBERTSON, B., WOOTTON, R. & WEBSTER, A.D.B. Increased half-life of gammaglobulin after intravenous replacement therapy, 441  
 LINDHU, J., ANDERSON, U., BRITTON, S. & DE LEY, M. A single cell assay for the study of  $\gamma$ -interferon formation in leprosy patients, 51  
 LINK, H. *see* FREDRIKSON, S.  
 LOBATTO, S., BREEDVELD, F.C., CAMPS, J.A.J., PAUWELS, E.K.J., WESTEDT, M-L., DAHA, M.R. & VAN ES, L.A. Mononuclear phagocyte system Fc-receptor function in patients with seropositive rheumatoid arthritis, 461  
 LOBO-YEO, A., ALVIGGI, L., MIELI-VERGANI, G., PORTMANN, B., MOWAT, A.P. & VERGANI, D. Preferential activation of helper/inducer T lymphocytes in autoimmune chronic active hepatitis, 95  
 LOOAREESUWAN, S. *see* CHAPEL, H.M.  
 LUTZ, H.U., FLEPP, R., STAMMLER, P. & BACCALA, R. Red cell associated, naturally occurring anti-spectrin antibodies, 674  
 LUZZI, G.A. *see* CHAPEL, H.M.  
 LYDYARD, P.M., ISENBERG, D., DE SOUSA, B., MACKENZIE, L. & COOKE, A. A cross-reactive idiosyncrasy on anti-DNA and lymphocytotoxic antibodies, 500  
 LYONCAEN, O. *see* TOURNIER-LASSERVE, E.  
 MACKENZIE, L. *see* LYDYARD, P.M.

- MADDISON, P. *see* ISENBERG, D.A.  
 MÄENPÄÄ, J. *see* KONTIAINEN, S.  
 MAINI, R.N. *see* STOCKS, M.R.  
 MANNS, M. *see* WEBER, M.  
 MARTIN, H., MCCONNELL, I., GORICK, B. & HUGHES-JONES, N.C. Antibody-independent activation of the classical pathway of complement by Epstein-Barr virus, 531  
 MARTIN, J. *see* FINDBLOOM, D.S.  
 MARTIN, L.N. *see* OHKAWA, S.  
 MASUDA, K. *see* WATANABE, Y.  
 MATSUMOTO-KOBAYASHI, M. *see* BANDYOPADHYAY, S.  
 MAUDSLEY, S., ROWE, I.F., DE BEER, F.C., MUNN, E.A., HERBERT, J., FEINSTEIN, A. & PEPYS, M.B. Identification and isolation of two pentraxins from bovine serum, 662  
 MAZINGUE, C., CARRIERE, V., DESSAINT, J.-P., DETOEUF, F., TURZ, T., AURIAULT, C. & CAPRON, A. Regulation of IgE synthesis by macrophages expressing FcE-receptors: role of interleukin 1, 587  
 MCCONNELL, I. *see* MARTIN, H.  
 MCLAREN, D.J. *see* GORDON, J.R.  
 MENZIES, C.B. *see* SMITH, E.  
 MERONI, P.L., HARRIS, E.N., BRUCATO, A., TINCANI, A., BARCELLINI, W., VISMARA, A., BALESTRIERIE, G., HUGHES, G.R.V. & ZANUSSI, C. Anti-mitochondrial type M5 and anti-cardiolipin antibodies in autoimmune disorders: studies of their association and cross-reactivity, 484  
 MERONI, P.L. *see* BARCELLINI, W.  
 MEYER ZUM BUSCHENFELDE, K.-H. *see* WEBER, M.  
 MICHAELSON, T.E. & KORNSTAD, L. IgG subclass distribution of anti-Rh anti-Kell and anti-Duffy antibodies measured by sensitive haemagglutination assays, 637  
 MICHALSKI, J.P., BOZELKA, B. & WALTER, H. Subfractionation of human T lymphocytes subpopulations by partitioning: surface heterogeneity of the OKT8/Leu2<sup>+</sup> T cell subset, 565  
 MIELI-VERGANI, G. *see* LOBO-YEO, A.  
 MILLER, D.S. *see* BANDYOPADHYAY, S.  
 MILLER, J.A. *see* DOWD, P.M.  
 MIURA, M. *see* YAGAME, M.  
 MIZUMURA, Y. *see* IIDA, H.  
 MIZUTANI, H., TSUBAKIO, T., TOMIYAMA, Y., KATAGIRI, S., TAMAKI, T., KURATA, Y., YONEZAWA, T. & TARUI, S. Increased circulating Ia-positive T cells in patients with idiopathic thrombocytopenic purpura, 191  
 MIZUTANI, H. *see* KURATA, Y.  
 MODLIN, R.L. *see* FULLMER, M.A.  
 MONTEIRO, R.C. *see* CHEVAILIER, A.  
 MORONI, M. *see* BARCELLINI, W.  
 MOSHTAEL, O. *see* EALES, L.-J.  
 MOULLIER, PH. *see* VAN LEER, E.H.G.  
 MOURAD, W., PELLETIER, G. & HEBERT, J. Suppression by relevant allergen of the spontaneous *in vitro* production of rye Group I specific IgE antibodies by human peripheral blood lymphocytes, 391  
 MOWAT, A.P. *see* LOBO-YEO, A.  
 MUNN, E.A. *see* MAUDSLEY, S.  
 NAGAMINE, K. *see* KURATA, Y.  
 NAKANISHI, T. *see* WATANABE, Y.  
 NAPIER, J.A. *see* BARNES, R.M.R.  
 NATORI, Y., HAYAKAWA, I. & SHIBATA, S. The detection and characterization of renal brush border antigen (gp 108) in various rat tissues, 135  
 NIELSEN, F.C. *see* RODGAARD, A.  
 NIEUWHOF, W.N. *see* DREW, P.A.  
 NISSEN, M.H., BJERRUM, O.J., PLESNER, T., WILKEN, M. & RØRTH, M. Modification of beta-2-microglobulin in sera from patients with small cell lung cancer: evidence for involvement of a serine protease, 425  
 NOBLE, B., STEWARD, M.W., VLADUTIU, A. & BRENTJENS, J.R. Relationship of the quality and quantity of circulating anti-BSA antibodies to the severity of glomerulonephritis in rats with chronic serum sickness, 277  
 NOMOTO, Y. *see* YAGAME, M.  
 NOVATI, R. *see* PROCACCIA, S.  
 NYBERG, M. *see* KONTIAINEN, S.  
 OGAWA, H. & TSUNEMATSU, T. Transfer of spleen cells expanded by T cell growth factor suppresses arthritis induced in rats, 176  
 OGER, J. *see* O'GORMAN, M.R.G.  
 O'GORMAN, M.R.G., OGER, J. & KASTRUKOFF, L.F. Reduction of immunoglobulin G secretion *in vitro* following long term lymphoblastoid interferon (Wellferon) treatment in multiple sclerosis patients, 66  
 OHKAWA, S., MARTIN, L.N., FUKUNISHI, Y. & GORMUS, B.J. Regulatory role of FcR<sup>+</sup> and FcR<sup>-</sup> monocyte subsets in *Mycobacterium leprae*-induced lymphoproliferative response *in vitro*, 43  
 OSHIDA, M. *see* KURATA, Y.  
 PAPAGEORGIOU, C. *see* BAXEVANIS, C.N.  
 PAPAMICHAEL, M. *see* BAXEVANIS, C.N.  
 PARREIRA, A., SMITH, J., HOWS, J.M., SMITHERS, S.A., APPERLEY, J., ROMBOS, Y., GOLDMAN, J.M., GORDON-SMITH, E.C. & CATOVSKY, D. Immunological reconstitution after bone marrow transplant with Campath-1 treated bone marrow, 142  
 PAUWELS, E.K.J. *see* LOBATO, S.  
 PELLETIER, G. *see* MOURAD, W.  
 PELTON, B.K. & DENMAN, A.M. Spontaneous production of B cell growth factors by SLE lymphocytes, 159  
 PEPYS, M.B. *see* MAUDSLEY, S.  
 PETO, T.E.A. *see* CHAPEL, H.M.  
 PETRUSON, B. *see* BRANDTZAEG, P.  
 PHILLIPS, R.E. *see* CHAPEL, H.M.  
 PINCHING, A.J. *see* EALES, L.-J.  
 PLAYFAIR, J.H.L. *see* TAVERNE, J.  
 PLAYFAIR, J.H.L. & DE SOUZA, J.B. Recombinant gamma interferon is a potent adjuvant for a malaria vaccine in mice, 5  
 PLESNER, T. *see* NISSEN, M.H.  
 POPPEMA, S. *see* KALLENBERG, C.G.M.  
 PORTMANN, B. *see* LOBO-YEO, A.  
 PRINCE, H.E. & JOHN, J.K. Abnormalities of interleukin 2 receptor expression associated with decreased antigen-induced lymphocyte proliferation in patients with AIDS and related disorders, 59  
 PROCACCIA, S., LAZZARIN, A., COLUCCI, A., GASPARINI, A., FORCELLINI, P., LANZANOVA, D., FOPPA,

- C.U., NOVATI, R. & ZANUSSI, C. IgM, IgG and IgA rheumatoid factors and circulating immune complexes in patients with AIDS and AIDS-related complex with serological abnormalities, 236
- QURESHI, F. *see* KENNEDY, M.W.
- RADNAY, J. *see* ROSENSCHEIN, U.
- REA, T.H. *see* FULLMER, M.A.
- RECLOS, G.J. *see* BAXEVANIS, C.N.
- REED, S.G. *see* BARRAL-NETTO, M.
- RISK, J.M. *see* BARNES, R.M.R.
- ROBERTS, F.R. *see* BARNES, R.M.R.
- RODGAARD, A., NIELSEN, F.C., DJURUP, R., SOMNIER, F. & GAMMELTOFT, S. Acetylcholine receptor antibody in myasthenia gravis: predominance of IgG subclasses 1 and 3, 82
- ROMBOS, Y. *see* PARREIRA, A.
- RONCO, P. *see* VAN LEER, E.H.G.
- RÖRTH, M. *see* NISSEN, M.H.
- ROSENSCHEIN, U., RADNAY, J., SHOHAM, D., SHAINBERG, A., KLAJMAN, A. & ROZENSZAJN, L.A. Human muscle-derived, tissue specific, myco-toxic T cell lines in dermatomyositis, 309
- ROTH, T.P. *see* CALLIS, A.H.
- ROULLET, E. *see* TOURNIER-LASSERVE, E.
- ROWE, I.F. *see* MAUDSLEY, S.
- ROZENSZAJN, L.A. *see* ROSENSCHEIN, U.
- SADIGURSKY, M. *see* BARRAL-NETTO, M.
- SAKAI, H. *see* YAGAME, M.
- SAKAMOTO, S. *see* YOKOTA, M.
- SALARI, H. A comparative study on the release of leukotrienes and histamine by guinea-pig lung and trachea after challenge with antigen or stimulation with ionophore A23187 or melittin, 219
- SAMUEL, T., SOFFER, Y. & CASPI, E. Sperm-egg penetration of human spermatozoa treated with various rabbit antisera to human sperm antigens, 454
- SASAYAMA, S. *see* IIDA, H.
- SATSANGI, J., WOLSTENCROFT, R.A., CASON, J., AINLEY, C.C., DUMONSE, D.C. & THOMPSON, R.P.H. Interleukin 1 in Crohn's disease, 594
- SCHAUENSTEIN, K. *see* TEMPELIS, C.H.
- SCHILIZZI, B.M. *see* KALLENBERG, C.G.M.
- SCHMITT, C. *see* TUCKER, G.C.
- SELA, O. *see* EL-ROIEY, A.
- SEREBRINSKY, G. *see* GEFFNER, J.R.
- SFAGOS, C. *see* BAXEVANIS, C.N.
- SQUOTTI, C. *see* BARCELLINI, W.
- SHAINBERG, A. *see* KLAJMAN, A.
- SHALL, S. *see* EL-ROIEY, A.
- SHEN, J.-Y. *see* FULLMER, M.A.
- SHIBATA, S. *see* NATORI, Y.
- SHOENFELD, Y. *see* EL-ROIEY, A.
- SHOENFELD, Y. *see* ISENBERG, D.A.
- SHOHAM, D. *see* ROSENSCHEIN, U.
- SISKIND, G.W. *see* GARBRECHT, F.C.
- SKINNER, R.P. *see* ISENBERG, D.A.
- SLOANE, J.P. *see* DILLY, S.A.
- SMITH, J. *see* PARREIRA, A.
- SMITH, E., BEHAN, W.M.H., MENZIES, C.A. & BEHAN, P.O. Experimental autoimmune thyroiditis: attempt to correlate disease development with lymphocyte subset changes, 319
- SMITHERS, S.A. *see* PARREIRA, A.
- SODA, R. *see* KISHIMOTO, T.
- SOFFER, Y. *see* SAMUEL, T.
- SOMNIER, F. *see* RODGAARD, A.
- SONNENFELD, G. *see* BARRAL-NETTO, M.
- SPENCER, J., MACDONALD, T.T. & ISAACSON, P.G. Heterogeneity of non-lymphoid cells expressing HLA-D region antigens in human fetal gut, 415
- STAMMLER, P. *see* LUTZ, H.U.
- STARR, S.E. *see* BANDYOPADHYAY, S.
- STEWART, M.W. *see* NOBLE, B.
- STOCKS, M.R., WILLIAMS, D.G. & MAINI, R.N. Differential induction of lupus associated anti-nuclear antibodies in MRL mice by monoclonal anti-SM antibodies, 492
- STONER, R.D. *see* KRAFT, R.
- SUGA, T. *see* YAGAME, M.
- SUPAWANTA, V. *see* CHAPEL, H.M.
- SWANA, G. *see* ISENBERG, D.A.
- SWANA, M. *see* ISENBERG, D.A.
- TAKAHASHI, K. *see* KISHIMOTO, T.
- TAKATA, M. *see* IIDA, H.
- TAKENO, H. *see* WATANABE, Y.
- TAKEZAKI, E. *see* WATANABE, Y.
- TAMAKI, T. *see* MIZUTANI, H.
- TANIGAKI, T. *see* YAGAME, M.
- TARUI, H. *see* MIZUTANI, H.
- TARUI, S. *see* KURATA, Y.
- TAVERNE, J., TAVERNIER, J., FIERS, W. & PLAYFAIR, J.H.L. Recombinant tumour necrosis factor inhibits malaria parasite *in vivo* and *in vitro*.
- TAVERNIER, J. *see* TAVERNE, J.
- TEMPELIS, C.H., SCHAUENSTEIN, K. & WICK, G. Production *in vitro* of thyroglobulin autoantibody by Obese strain (OS) chickens, 477
- THARAVANU, S. *see* CHAPEL, H.M.
- THE, T.H. *see* KALLENBERG, C.G.M.
- THIERY, J.P. *see* TUCKER, G.C.
- THOMPSON, R.A. *see* CHAPEL, H.M.
- THOMPSON, R.P.H. *see* SATSANGI, J.
- THORPE, R. *see* ALTERMAN, L.
- TINCANI, A. *see* MERONI, P.L.
- TOMINO, Y. *see* YAGAME, M.
- TOMIYAMA, Y. *see* MIZUTANI, H.
- TOMIYAMA, Y. *see* KURATA, Y.
- TOURNIER-LASSERVE, E., LYONCAEN, O., ROULLET, E. & BACH, M.A. IL-2 receptor and HLA class II antigens on cerebrospinal fluid cells of patients with multiple sclerosis and other neurological diseases, 581
- TRIGER, D.R. *see* DE FERNANDEZ, M.A.
- TSUBAKIO, T. *see* KURATA, Y.
- TSUBAKIO, T. *see* MIZUTANI, H.
- TSUNEMATSU, T. *see* OGAWA, H.
- TUCKER, G.C., DELLAGI, K., SCHMITT, C., BROUET, J.-C. & THIERY, J.P. Heterogeneity of human anti-MAG IgM as revealed by their reactivity in avian embryonic tissues, 352
- TURZ, T. *see* MAZINGUE, C.
- UBERTI-FOPPA, C. *see* BARCELLINI, W.
- VAN ES, L.A. *see* LOBATO, S.

- VAN LEER, E.H.G., MOULLIER, PH., RONCO, P. & VERRONST, P. Lymphocyte expression of a 90 kD brush border antigen, 572
- VERGANI, D. *see* LOBO-YEO, A.
- VERROUST, P. *see* VAN LEER, E.H.G.
- VISMARA, A. *see* MERONI, P.L.
- VLADUTIU, A. *see* NOBLE, B.
- WAITES G.T. & WHYTE, A. Effect of pregnancy on collagen-induced arthritis in mice, 467
- WALTER, H. *see* MICHALSKI, J.P.
- WARRELL, D.A. *see* CHAPEL, H.M.
- WARRELL, M.J. *see* CHAPEL, H.M.
- WATANABE, Y., KAWAKAMI, H., KAWAMOTO, H., IKEMOTO, Y., MASUDA, K., TAKEZAKI, E., NAKANISHI, T., KAJIYAMA, G. & TAKENO, H. Effect of neonatal thymectomy on experimental autoimmune hepatitis in mice, 105
- WEBER, M., KOHLER, H., MANNS, M., BAUM, H.-P., MEYER ZUM BUSCHENFELDE K.-H. Identification of Goodpasture target antigens in basement membranes of human glomeruli, lung, and placenta, 262
- WEBSTER, A.D.B. *see* LEVER, A.M.L.
- WEINER, E., HUGHES-JONES, N.C., IRISH, W.T. & WICKRAMASINGHE, S.N. Red cell associated, naturally occurring anti-spectrin antibodies: Reply, 674
- WEKSLER, M.E. *see* GARBRECHT, F.C.
- WESTEDT, M.-L. *see* LOBATO, S.
- WHALEY, K. *see* FYFE, A.
- WHITE, N.J. *see* CHAPEL, H.M.
- WHYTE, A. *see* WAITES, G.T.
- WICK, G. *see* TEMPELIS, C.H.
- WICKRAMASINGHE, S.N. *see* WIENER, E.
- WILKEN, M. *see* NISSEN, M.H.
- WILLIAMS, D.G. *see* STOCKS, M.R.
- WOLSTENCROFT, R.A. *see* SATSANGI, J.
- WOODROFFE, A.J. *see* DREW, P.A.
- WOOTTON, R. *see* LEVER, A.M.L.
- YAGAME, M., TOMINO, Y., MIURA, M., TANIGAKIO, T., SUGA, T., NOMOTO, Y. & SAKAI, H. Detection of IgA-class circulating immune complexes (CIC) in sera from patients with IgA nephropathy using a solid-phase anti-C3 Facb enzyme immunoassay (EIA), 270
- YAMAMOTO, H. *see* ARAKI, K.
- YAP, P.L. *see* LEVER, A.M.L.
- YOKOTA, M., SAKAMOTO, S., KOGA, S. & IBAYASHI, H. Decreased interleukin 1 activity in culture supernatant of lipopolysaccharide stimulated monocytes from patients with liver cirrhosis and hepatocellular carcinoma, 335
- YONEZAWA, T. *see* MIZUTANI, H.
- YONEZAWA, T. *see* KURATA, Y.
- YOSHIMURA, N. *see* HIRAO, J.
- ZANUSSI, C. *see* BARCELLINI, W.
- ZANUSSI, C. *see* MERONI, P.L.
- ZANUSSI, C. *see* PROCACCIA, S.
- ZOMA, A. *see* FYFE, A.

# SUBJECT INDEX

- Adjuvant, 5
- Adoptive T cell transfer, 326
- Ageing, 447
- AIDS, 59, 227, 236
- Allergens, 617
- Amyloid P component, 662
- Anaesthetics, 343
- Antibodies, 617
  - acetylcholine receptor, 82
  - affinity, 277
  - anti-cardiolipin, 484
  - anti-DNA, 492, 500, 507
  - anti-Duffy, 637
  - anti-GBM, 262
  - anti-histone, 492
  - anti-human sperm, 454
  - anti-Kell, 637
  - anti-mitochondrial, 484
  - anti-Rh, 637
  - anti-Rh(D), 220
  - humoral, 343
  - IgA, 124
  - IgG, 124
  - lymphocytotoxic, 500
  - monoclonal, 31, 433, 492
  - naturally occurring, 675
  - responses, 447
- Anticomplementary agent, 130
- Antigen
  - activation Ta1, 383
  - brush border, 135, 572
  - excretory/secretory, 20
  - liver, 326
  - platelet, 293
  - presentation, 398
  - solubilized, 11
- Anti-RNP/Sm, 492
- Arachidonic acid, 211
- ARC, 59, 236, 245
- Arthritis
  - adjuvant, 176
  - collagen-induced, 176, 467
  - rheumatoid, 461
- Ascaris lumbricoides*, 20
- Ascaris suum*, 11
- Autoantibodies, 477, 507, 516
- Autoimmunity, 507, 516
- Autologous mixed lymphocyte reaction, 191, 245
  
- Basement membrane, 262
- Basophil, cutaneous hypersensitivity, 611
- B cell growth factors, 159
- Benign breast disease, 198
- Beta-2-microglobulin, 425
- Bone marrow transplant, 142, 151, 406
- Bovine C-reactive protein, 662
- Bovine serum albumin nephritis, 130
- Breast, 198
  
- Breast diseases, 198
  
- C1, 531
- C4, 55
- C4B allotypes, 55
- C7, 55
- Carcinoma hepatocellular, 335
- CD8 subsets, 565
- Cell cutaneous T lymphoma, 606
  - immunoglobulin-producing, 626
  - lysis complement mediated, 82
  - mast, 611
  - natural killer, 372, 406, 565
  - separation, 565
- Cells suppressor, 66, 105
  - T4, 398
  - T depletion, 406
  - T ontogeny, 406
  - T subpopulations, 565
  - T subsets, 556
- Cercariae irradiated, 252
- Cerebrospinal fluid, 76, 581
- Chemotaxis, 198
- Circulating immune complex, 270, 277
- Cirrhosis, 655
  - primary biliary, 655
- Complement
  - terminal components, 130
  - deficiency, 55
- Concanavalin A, 66
- CR1, 675
- CR1, 300
- Crohn's disease, 594
- Cross-reactive idiotype, 500
- Cross-reactivity, 20
- Culture induced suppressor function, 176
- Cutaneous basophil hypersensitivity, 611
- Cytomegalovirus, 372
- Cytoskeleton, 205
- Cytotoxicity, 646
  
- Dermatomyositis, 309
  
- ELISA, 236
- Erythrocytes, 675
- 17 $\alpha$ -Ethinylloestradiol, 167
- Experimental autoimmune hepatitis, 326
- Experimental autoimmune thyroiditis, 319
  
- Fc-receptor function, 461
- Fc receptors, 205
- Fibrosing alveolitis, 182
  
- Gamma interferon, 227
- Germinal centres, 447
- Glomerulonephritis, 262, 283, 572
- Glycoprotein, 135
- Goodpasture's syndrome, 262



- Graft-versus-host-disease, 151  
 Guinea pigs, 252
- Haemagglutination, 637  
 Haemolytic disease of the newborn, 220  
 Halothane, 343  
 Hepatic cell necrosis, 326  
 Hepatitis  
   chronic active, 95  
   experimental, 105  
 Heymann nephritis, 135  
 Histamine, 211  
 Histopathological injuries, 270  
 HLA Class II (Ia) expression, 89  
 HLA class II molecules, 581  
 HLA-DR, 182  
 Human fetus, 415  
 Human skin, 606  
 Human spermatozoa, 454  
 Humoral immunity, 252  
 16 $\alpha$ -hydroxyestrone, 167  
 Hypogammaglobulinaemia, 441
- Idiopathic pulmonary fibrosis, 182  
 Idiopathic thrombocytopenic purpura, 191, 293  
 Idiotypic  
   16/6, 500  
   cross reactive, 500  
 Idiotypes, 507  
 Ileum, 415  
 Immune  
   activation, 89  
   complexes, 205, 236, 293, 646  
   complex glomerulonephritis, 130  
   complex nephritis, 277  
   deposits, 283  
   response, 343  
 Immunoassay, 270  
 Immunoblotting, 262, 617  
 Immunoglobulin A  
   deficiency, 626  
   nephropathy, 114, 124, 270  
 Immunoglobulin D, 626  
 Immunoglobulin E, 587, 617  
 Immunoglobulin G, 441, 524  
   anti-rhesus, 461  
   subclasses, 82, 637  
 Immunoglobulin isotypes, 236  
 Immunoglobulin M, 626  
 Immunoglobulin synthesis, 544  
 Immunoglobulin therapy, 441  
 Immunological reconstitution, 142  
 Immunoregulation, 319  
 Immunosuppressive factor, 433  
 Infection  
   bacterial, 516  
   meningococcal, 55  
 Interferon, 5  
 Interferon gamma, 51
- Lymphoblastoid interferon, 66  
 Interleukin 1, 335, 587, 594, 606  
 Interleukin 2, 227, 383  
   receptor, 59  
 Intrathecal synthesis, 524
- Kawasaki disease, 433
- Keratinocyte Ia, 383  
 Kidney disease, 277
- Leishmaniasis, 11  
 Leprosy  
   borderline tuberculoid, 51  
   lepromatous, 51  
 Lipoxigenase, 211  
 Liver  
   cirrhosis, 335  
   disease, 655  
 Lung cancer, 425  
 Lymphocyte, 572  
   activated, 95  
   activating factor, 594  
   helper, 319  
   null, 544, 556  
   markers, 66  
   subsets, 151  
   suppressor, 319  
   T, 114, 581  
 Lysozyme, 198
- Macaca mulatta*, 43  
 Macrophages, 205, 415, 587  
 MAF, 227  
 Malaria, 1, 5  
   cerebral, 524  
 Membrane lipoprotein, liver-specific, 105  
 Membranous glomerulonephritis, 135  
 Meningitis, aseptic, 76  
 Mice  
   BALB-c, 11  
   DBA/1, 467  
   Mercury, 283  
   MRL/lpr, 492  
 Mixed lymphocyte reaction, 362  
 Monoclonal IgM, 352  
 Monocyte, 43, 198, 335, 362, 646  
 Monocyte derived macrophages, 227  
 Mononuclear phagocyte system, 461  
 Multiple sclerosis, 66, 76, 362, 581  
 Myasthenia gravis, 82  
*Mycobacterium leprae*, 31, 43, 51  
 Mycotoxic T cell line, 309  
 Myelin associated glycoprotein, 352
- Nasal mucosa, 626  
 Neopterin, 76  
 Neutrophil, 655
- Obese chickens, 477  
 Oral tolerance, 220  
 Oxygen dependent, 646
- Partitioning, 565  
 Pentraxins, 662  
 Peripheral neuropathy, 352  
 Persistent generalized lymphadenopathy, 537  
 PGE<sub>2</sub>, 606  
 Phagocytosis, 198, 655  
 Pneumococcal polysaccharide, 124  
 Pokeweed mitogen, 66  
 Polymers, 565  
 Polymorphonuclear leukocyte, 300  
 Pregnancy, 467



- Prostaglandin E2, 335  
Protein  
  cell wall, 31  
  plasma, 662  
Proteolysis, 425  
Pulmonary airways, 211  
  
Receptor  
  C3b, 800  
  Fc, 544, 556, 587  
  Fc $\alpha$ , 114  
  iC3b (complement), 544, 556  
  IL-2, 383, 581  
Rectum, 151  
Rheumatoid factors, 236  
Rye group I, 391  
  
*Schistosoma mansoni*, 252  
Schistosomula, 262  
Serum sickness, 277  
Solid-phase anti-C3 Facb enzyme, 270  
Soluble immune complexes, 675  
Spectrin, 675  
Sperm-egg penetration, 454  
Spleen cell transfer, 176  
Strain susceptibility, 326  
Suppression, 391  
  
Systemic lupus erythematosus, 159, 300, 484, 500, 507, 516, 556  
  
T cell activation, 31  
  depletion, 142  
  growth factor, 176  
  Ia positive, 191  
Tetanus  
  antitoxin, 447  
  toxoid, 59  
T helper/suppressor ratio, 89  
Thymectomy, 82  
  neonatal, 105  
Thymopentin, 537  
Thyroglobulin, 477  
Thyroiditis juvenile autoimmune, 89  
TNF, 1  
*Toxocara canis*, 20  
Trematode, 252  
Tuberculin reactions, 383  
  
Vaccine, 5, 11  
  model, 252  
Virus Epstein-Barr, 51, 531  
  
Zona-free hamster eggs, 454



# CLINICAL AND EXPERIMENTAL IMMUNOLOGY

AN OFFICIAL JOURNAL OF THE  
BRITISH SOCIETY FOR IMMUNOLOGY

*Editor*

J. L. TURK

*Editorial Board*

B. ALBINI	A. HAMBLIN	D. M. V. PARROTT
G. L. ASHERSON	P. HASLAM	P. Y. PATERSON
K. F. AUSTEN	G. HOLM	M. PEPYS
J. F. BACH	G. JANOSSY	A. J. PINCHNG
R. W. BALDWIN	R. JEFFERIS	T. A. E. PLATTS-MILLS
R. ST. C. BARNETSON	S. KATZ	L. POULTER
J. R. BATCHELOR	A. B. KAY	M. REICHLIN
M. C. BERENBAUM	S. KNIGHT	J. F. SOOTHILL
G. F. BOTTAZZO	T. LEHNER	C. SPRY
J. BROSTOFF	R. J. LEVINSKY	M. STEWARD
D. L. BROWN	N. R. LING	G. A. T. TARGETT
D. CATOVSKY	P. M. LYDYARD	R. A. THOMPSON
A. J. DAVIES	R. N. MAINI	R. VAN FURTH
A. M. DENMAN	C. A. MIMS	A. VOLLER
J. M. DWYER	J. MOWBRAY	M. H. WANSBOROUGH-JONES
T. FEIZI	J. NEWSOM-DAVIS	A. D. B. WEBSTER
M. FELDMANN	G. PANAYI	P. C. WILKINSON
A. FERGUSON	W. E. PARISH	R. WILLIAMS

VOLUME 67

pages 1-686

BLACKWELL SCIENTIFIC PUBLICATIONS  
OXFORD LONDON EDINBURGH BOSTON PALO ALTO MELBOURNE

1987

© 1987 Blackwell Scientific Publications  
Osney Mead, Oxford OX2 0EL  
8 John Street, London WC1N 2ES  
23 Ainslie Place, Edinburgh EH3 6AJ  
52 Beacon Street, Boston, Mass. 02108, USA  
706 Cowper Street, Palo Alto, Calif. 94301, USA  
99 Barry Street, Carlton, Victoria 3052, Australia

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright owner.

# VOLUME 67 · NUMBER 1 · JANUARY 1987

JANICE TAVERNE, J. TAVERNIER, W. FIERIS & J. H. L. PLAYFAIR: Recombinant tumour necrosis factor inhibits malaria parasites <i>in vivo</i> but not <i>in vitro</i>	1
J. H. L. PLAYFAIR & J. B. DE SOUZA: Recombinant gamma interferon is a potent adjuvant for a malaria vaccine in mice	5
M. BARRAL-NETTO, S. G. REED, M. SADIGURSKY & G. SONNENFELD: Specific immunization of mice against <i>Leishmania mexicana amazonensis</i> using solubilized promastigotes	11
M. W. KENNEDY, F. QURESHI, MELISSA HASWELL-ELKINS & D. B. ELKINS: Homology and heterology between the secreted antigens of the parasitic larval stages of <i>Ascaris lumbricoides</i> and <i>Ascaris suum</i>	20
W. J. BRITTON, L. HELLQVIST, R. J. GARCIA & A. BASTEN: Dominant cell wall proteins of <i>Mycobacterium leprae</i> recognized by monoclonal antibodies	31
S. OHKAWA, L. N. MARTIN, YUKIKO FUKUNISHI & B. J. GORMUS: Regulatory role of FcR+ and FcR- monocyte subsets in <i>Mycobacterium leprae</i> -induced lymphoproliferative response <i>in vitro</i>	43
J. LINDHU, U. ANDERSON, S. BRITTON & M. DE LEY: A single cell assay for the study of $\gamma$ -interferon formation in leprosy patients	51
H. M. CHAPEL, T. E. A. PETO, G. A. LUZZI, R. A. THOMPSON, A. H. FIELDER & J. R. BATCHELOR: Combined familial C7 and C4B deficiency in an adult with meningococcal disease	55
H. E. PRINCE & JUDITH K. JOHN: Abnormalities of interleukin 2 receptor expression associated with decreased antigen-induced lymphocyte proliferation in patients with AIDS and related disorders	59
M. R. G. O'GORMAN, J. OGER & L. F. KASTRUKOFF: Reduction of immunoglobulin G secretion <i>in vitro</i> following long term lymphoblastoid interferon (Wellferon) treatment in multiple sclerosis patients	66
S. FREDRIKSON, P. ENEROTH & H. LINK: Intrathecal production of neopterin in aseptic meningo-encephalitis and multiple sclerosis	76
A. RØDGAARD, F. C. NIELSEN, R. DJURUP, F. SOMNIER & S. GAMMELTOFT: Acetylcholine receptor antibody in myasthenia gravis: predominance of IgG subclasses 1 and 3	82
SIRKKA KONTIAINEN, IRMELI LAUTENSCHLAGER, M. NYBERG & J. MÄENPÄÄ: Cells infiltrating the thyroid in juvenile autoimmune thyroiditis	89
AVA LOBO-YEO, L. ALVIGGI, GIORGINA MIELI-VERGANI, B. PORTMANN, A. P. MOWAT & D. VERGANI: Preferential activation of helper/inducer T lymphocytes in autoimmune chronic active hepatitis	95
Y. WATANABE, H. KAWAKAMI, H. KAWAMOTO, Y. IKEMOTO, K. MASUDA, E. TAKEZAKI, T. NAKANISHI, G. KAJIYAMA & H. TAKENO: Effect of neonatal thymectomy on experimental autoimmune hepatitis in mice	105
A. CHEVAILLER, R. C. MONTEIRO, M. DAËRON & P. LESAVRE: Induction of Fc receptors for IgA on murine T cell hybridoma by human monoclonal IgA and by high molecular weight IgA in IgA nephropathy	114
P. A. DREW, W. N. NIEUWHOF, A. R. CLARKSON & A. J. WOODROFFE: Increased concentration of serum IgA antibody to pneumococcal polysaccharides in patients with IgA nephropathy	124
H. IIDA, K. IZUMINO, M. ASAKA, M. TAKATA, Y. MIZUMURA & S. SASAYAMA: Effect of the anticomplementary agent, K-76 monocarboxylic acid, on experimental immune complex glomerulonephritis in rats	130
Y. NATORI, IKUHO HAYAKAWA & S. SHIBATA: The detection and characterization of renal brush border antigen (gp 108) in various rat tissues	135
A. PARREIRA, JOAN SMITH, JILL M. HOWS, SARAH A. SMITHERS, JANE APPERLEY, Y. ROMBOS, J. M. GOLDMAN, E. C. GORDON-SMITH & D. CATOVSKY: Immunological reconstitution after bone marrow transplant with Campath-1 treated bone marrow	142

SUSAN A. DILLY & J. P. SLOANE: Changes in rectal leucocytes after allogeneic bone marrow transplantation	151
B. K. PELTON & A. M. DENMAN: Spontaneous production of B cell growth factors by SLE lymphocytes	159
R. BUCALA, R. G. LAHITA, J. FISHMAN & A. CERAMI: Anti-oestrogen antibodies in users of oral contraceptives and in patients with systemic lupus erythematosus	167
H. OGAWA & T. TSUNEMATSU: Transfer of spleen cells expanded by T cell growth factor suppresses arthritis induced in rats	176
C. G. M. KALLENBERG, B. M. SCHILIZZI, F. BEAUMONT, S. POPPEMA, L. DE LEIJ & T. H. THE: Expression of class II MHC antigens on alveolar epithelium in fibrosing alveolitis	182
H. MIZUTANI, T. TSUBAKIO, Y. TOMIYAMA, S. KATAGIRI, T. TAMAKI, Y. KURATA, T. YONEZAWA & S. TARUI: Increased circulating Ia-positive T cells in patients with idiopathic thrombocytopenic purpura	191
A. M. AL-SUMIDAIE, S. J. LEINSTER & S. A. JENKINS: Altered monocyte function in patients with benign breast disease	198
D. S. FINDBLOOM, J. MARTIN & R. K. GORDON: Endocytosis of particulate and soluble IgG immune complexes: differential effects of cytoskeletal modulating agents	205
H. SALARI: A comparative study on the release of leukotrienes and histamine by guinea pig lung and trachea after challenge with antigen or stimulation with ionophore A23187 or melittin	219
R. M. R. BARNES, JENNIFER K. M. DUGUID, FRED A. M. ROBERTS, JANET M. RISK, P. M. JOHNSON, R. FINN, JOAN HARDY, J. A. NAPIER & C. A. CLARKE: Oral administration of erythrocyte membrane antigen does not suppress anti-Rh(D) antibody responses in humans	220

## VOLUME 67 · NUMBER 2 · FEBRUARY 1987

LESLEY-JANE EALES, O. MOSHTAEI & A. J. PINCHING: Microbicidal activity of monocyte derived macrophages in AIDS and related disorders	227
S. PROCACCIA, A. LAZZARIN, A. COLUCCI, A. GASPARINI, P. FORCELLINI, DONATELLA LANZANOVA, CATERINA UBERTI FOPPA, R. NOVATI & C. ZANUSSI: IgM, IgG and IgA rheumatoid factors and circulating immune complexes in patients with AIDS and AIDS-related complex with serological abnormalities	236
F. C. GARBRECHT, G. W. SISKIND & M. E. WEKSLER: Lymphocyte transformation induced by autologous cells: XVIII. Impaired autologous mixed lymphocyte reaction in subjects with AIDS-related complex	245
J. R. GORDON & DIANE J. MCLAREN: Immunity to schistosomiasis mansoni in guinea-pigs vaccinated with radiation-attenuated cercariae: I. Humoral responses against skin-stage schistosomiasis	252
M. WEBER, H. KÖHLER, M. MANNS, H.-P. BAUM, K.-H. MEYER ZUM BÜSCHENFELDE: Identification of Goodpasture target antigens in basement membranes of human glomeruli, lung, and placenta	262
M. YAGAME, Y. TOMINO, M. MIURA, T. TANIGAKI, T. SUGA, Y. NOMOTO & H. SAKAI: Detection of IgA-class circulating immune complexes (CIC) in sera from patients with IgA nephropathy using a solid-phase anti-C3 Fab enzyme immunoassay (EIA)	270
BERNICE NOBLE, M. W. STEWARD, A. VLADUTIU & J. R. BRENTJENS: Relationship of the quality and quantity of circulating anti-BSA antibodies to the severity of glomerulonephritis in rats with chronic serum sickness	277
P. HULTMAN & S. ENESTROM: The induction of immune complex deposits in mice by peroral and parenteral administration of mercuric chloride: strain dependent susceptibility	283
Y. KURATA, S. HAYASHI, H. AOCHI, K. NAGAMINE, M. OSHIDA, H. MIZUTANI, Y. TOMIYAMA, T. TSUBAKIO, T. YONEZAWA & S. TARUI: Analysis of antigen involved in circulating immune complexes in patients with idiopathic thrombocytopenic purpura	293

A. FYFE, E. R. HOLME, A. ZOMA & K. WHALEY: C3b receptor (CR1) expression on the polymorphonuclear leukocytes from patients with systemic lupus erythematosus	300
U. ROSENSCHIN, JUDITH RADNAY, DAVIDIA SHOHAM, A. SHAINBERG, A. KLAJMAN & L. A. ROZENSZAJN: Human muscle-derived, tissue specific, myocytotoxic T cell lines in dermatomyositis	309
ELAINE SMITH, WILHELMINA M. H. BEHAN, CATHERINE B. MENZIES & P. O. BEHAN: Experimental autoimmune thyroiditis: attempt to correlate disease development with lymphocyte subset changes	319
K. ARAKI, H. YAMAMOTO & S. FUJIMOTO: Studies on the pathogenesis of murine experimental autoimmune active hepatitis: sensitized T cell involvement in its induction	326
M. YOKOTA, S. SAKAMOTO, S. KOGA & H. IBAYASHI: Decreased interleukin 1 activity in culture supernatant of lipopolysaccharide stimulated monocytes from patients with liver cirrhosis and hepatocellular carcinoma	335
ANDREA H. CALLIS, S. D. BROOKS, T. P. ROTH, A. J. GANDOLFI & B. R. BROWN: Characterization of a halothane-induced humoral immune response in rabbits	343
G. C. TUCKER, K. DELLAGI, C. SCHMITT, J-C. BROUET & J. P. THIERY: Heterogeneity of human anti-MAG IgM as revealed by their reactivity on avian embryonic tissues	352
C. N. BAXEVANIS, G. J. RECLOS, C. SFAGOS, E. DOUFEXIS, C. PAPAGEORGIOU & M. PAPAMICHAIL: Multiple sclerosis: I. Monocyte stimulatory defect in mixed lymphocyte reaction associated with clinical disease activity	362
S. BANDYOPADHYAY, D. S. MILLER, M. MATSUMOTO-KOBAYASHI, S. C. CLARK & S. E. STARR: Effects of interferons and interleukin 2 on natural killing of cytomegalovirus-infected fibroblasts	372
M. A. FULLMER, J.-Y. SHEN, R. L. MODLIN & T. H. REA: Immunohistological evidence of lymphocyte activation antigens in tuberculin reactions	383
W. MOURAD, G. PELLETIER & J. HÉBERT: Suppression by relevant allergen of the spontaneous <i>in vitro</i> production of rye Group I specific IgE antibodies by human peripheral blood lymphocytes	391
R. BRINES & T. LEHNER: Antigen presentation by a subset of T8 <sup>+</sup> Ia <sup>+</sup> cells to T4 <sup>+</sup> helper cells	398
J. P. DE VILLARTAY, FRANCOISE LE DEIST, C. GRISCELLI & A. FISCHER: Dissociation between onset of natural killer E-rosette forming cells and of T3-positive cells following HLA-mismatched T cell depleted bone marrow transplantation	406
JO SPENCER, T. T. MACDONALD & P. G. ISAACSON: Heterogeneity of non-lymphoid cells expressing HLA-D region antigens in human fetal gut	415
M. H. NISSEN, O. J. BJERRUM, T. PLESNER, M. WILKEN & M. RØRTH: Modification of beta-2-microglobulin in sera from patients with small cell lung cancer: evidence for involvement of a serine protease	425
J. HIRAO, N. YOSHIMURA, N. HOMMA & K. KANO: Immunological studies of Kawasaki disease: II. Isolation and characterization of an immunosuppressive factor in acute phase sera	433
A. M. L. LEVER, P. L. YAP, B. CUTHBERTSON, R. WOOTTON & A. D. B. WEBSTER: Increased half-life of gammaglobulin after prolonged intravenous replacement therapy	441
R. KRAFT, MARLIES BACHMANN, K. BACHMANN, H. BUECKI, M. W. HESS, H. COTTIER & R. D. STONER: Satisfactory primary tetanus antitoxin responses but markedly reduced germinal centre formation in first draining lymph nodes of ageing mice	447
T. SAMUEL, Y. SOFFER & E. CASPI: Sperm-egg penetration of human spermatozoa treated with various rabbit antisera to human sperm antigens	454

## VOLUME 67 · NUMBER 3 · MARCH 1987

S. LOBATO, F. C. BREEDVELD, J. A. J. CAMPS, E. K. J. PAUWELS, MARIE-LOUISE WESTEDT, M. R. DAHA & L. A. VAN ES: Mononuclear phagocyte system Fc-receptor function in patients with seropositive rheumatoid arthritis	461
---	-----



GILLIAN T. WAITES & A. WHYTE: Effect of pregnancy on collagen-induced arthritis in mice	467
C. H. TEMPELIS, K. SCHAUENSTEIN & G. WICK: Production <i>in vitro</i> of thyroglobulin autoantibody by Obese strain (OS) chickens	477
P. L. MERONI, E. N. HARRIS, A. BRUCATO, ANGELA TINCANI, WILMA BARCELLINI, A. VISMARA, G. BALESTRIERI, G. R. V. HUGHES & C. ZANUSSI: Anti-mitochondrial type M5 and anti-cardiolipin antibodies in autoimmune disorders: studies on their association and cross-reactivity	484
M. R. STOCKS, D. G. WILLIAMS & R. N. MAINI: Differential induction of lupus associated antinuclear antibodies in MRL mice by monoclonal anti-Sm antibodies	492
P. M. LYDYARD, D. ISENBERG, B. DE SOUSA, L. MACKENZIE & A. COOKE: A cross-reactive idiotype on anti-DNA and lymphocytotoxic antibodies	500
A. EL-ROIEY, O. SELA, D. A. ISENBERG, R. FELDMAN, B. C. COLACO, R. C. KENNEDY & Y. SHOENFELD: The sera of patients with <i>Klebsiella</i> infections contain a common anti-DNA idiotype (16/6) Id and anti-polynucleotide activity	507
D. A. ISENBERG, P. MADDISON, G. SWANA, R. P. SKINNER, M. SWANA, M. JONES, I. ADDISON, C. DUDENEY, S. SHALL, A. EL-ROIEY & Y. SHOENFELD: Profile of autoantibodies in the serum of patients with tuberculosis, <i>klebsiella</i> and other Gram-negative infections	516
HELEN M. CHAPEL, D. A. WARRELL, SORNCHAI LOOAREESUWAN, N. J. WHITE, R. E. PHILLIPS, MARY J. WARRELL, VENUS SUPAWANTU & SAVANAT THARAVANU: Intrathecal immunoglobulin synthesis in cerebral malaria	524
H. MARTIN, I. MCCONNELL, B. GORICK & N. C. HUGHES-JONES: Antibody-independent activation of the classical pathway of complement by Epstein-Barr virus	531
WILMA BARCELLINI, P. L. MERONI, DANIELA FRASCA, CHIARA SGUOTTI, MARIA ORIETTA BORGH, CATERINA UBERTI-FOPPA, P. BUZZETTI, A. LAZZARIN, G. DORIA, M. MORONI & C. ZANUSSI: Effect of subcutaneous thymopentin treatment in drug addicts with persistent generalized lymphadenopathy	537
W. ABO, J. D. GRAY, A. C. BAKKE & D. A. HORWITZ: Studies on human blood lymphocytes with iC3b (type 3) complement receptors: II. Characterization of subsets which regulate pokeweed mitogen-induced lymphocyte proliferation and immunoglobulin synthesis	544
J. D. GRAY, A. LASH, A. C. BAKKE & D. A. HORWITZ: Studies on human blood lymphocytes with iC3b (type 3) complement receptors: III. Abnormalities in patients with active systemic lupus erythematosus	556
J. P. MICHALSKI, B. BOZELKA & H. WALTER: Subfractionation of human T lymphocyte subpopulations by partitioning: surface heterogeneity of the OKT8/Leu2 <sup>+</sup> T cell subset	565
E. H. G. VAN LEER, PH. MOULIER, P. RONCO & P. VERROUST: Lymphocyte expression of a 90 kD brush border antigen	572
E. TOURNIER-LASSERVE, O. LYONCAEN, E. ROULLET & M. A. BACH: IL-2 receptor and HLA class II antigens on cerebrospinal fluid cells of patients with sclerosis and other neurological diseases	581
CHRISTINE MAZINGUE, VALÉRIE CARRIÈRE, J-P. DESSAINT, FRANÇOISE DETOEUF, T. TURZ, C. AURIAULT & A. CAPRON: Regulation of IgE synthesis by macrophages expressing FcE-receptors: role of interleukin 1	587
J. SATSANGI, R. A. WOLSTENCROFT, J. CASON, C. C. AINLEY, D. C. DUMONDE & R. P. H. THOMPSON: Interleukin 1 in Crohn's disease	594
PAULINE M. DOWD, B. N. HUDSPITH, J. A. MILLER, R. M. BARR, J. BROSTOFF & M. W. GRAVES: Release <i>in vivo</i> of IL-1 like activity by human skin	606
T. KISHIMOTO, R. SODA, K. TAKAHASHI & I. KIMURA: The role of basophils and mast cells in cutaneous basophil hypersensitivity reaction	611
LESLEY ALTERMAN, C. BIRD, MARION CALLUS, ANNETTE FORD & R. THORPE: The use of monoclonal antibodies raised against a human IgE myeloma paraprotein for the study of allergen extracts and sera from allergic patients	617
P. BRANDTZAEG, G. KARLSSON, G. HANSSON, B. PETRUSON, J. BJÖRKANDER & L. Å HANSON: The clinical condition of IgA-deficient patients is related to the proportion of IgD- and IgM-producing cells in their nasal mucosa	626

*Volume contents*

vii

T. E. MICHAELSON & L. KORNSTAD: IgG subclass distribution of anti-Rh, anti-Kell and anti-Duffy antibodies measured by sensitive haemagglutination assays	637
J. R. GEFFNER, MIRTA GIORDANO, GRACIELA SEREBRINSKY & M. ISTURIZ: The role of reactive oxygen intermediates in nonspecific monocyte cytotoxicity induced by immune complexes	646
M. A. DE FERNANDEZ, A. CLARK & D. R. TRIGER: Neutrophil phagocytic and bactericidal function in primary biliary cirrhosis and other chronic liver diseases	655
S. MAUDSLEY, I. F. ROWE, F. C. DE BEER, E. A. MUNN, J. HERBERT, A. FEINSTEIN & M. B. PEPYS: Identification and isolation of two pentraxins from bovine serum	662
Letter to the Editor	
H. A. LUTZ, R. FLEPP, P. STAMMLER & R. BACCALÀ: Red cell associated, naturally occurring anti-spectrin antibodies	674
AUTHOR AND SUBJECT INDEXES TO VOLUME 67	677